

JAN. 25. 2005 4:49PM

(4)FISH&RICHARDSON\_6175428906

NO. 4206 P. 1

Attorney's Docket No.: 12258-032001  
Client's Ref. No.: InfraReDx-14

**OFFICIAL COMMUNICATION FACSIMILE:**

**OFFICIAL FAX NO: (703) 872-9306**

Number of pages including this page 5

**RECEIVED  
CENTRAL FAX CENTER**

**JAN 25 2005**

Applicant : Simon M. Furnish  
Serial No. : 10/037,306  
Filed : December 31, 2001

Art Unit : 3763  
Examiner : William C. Jung


Title : Multi-Fiber Catheter for VP Detection

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Attached to this facsimile communication cover sheet is a **REPLY TO ACTION OF JANUARY 12, 2005**, faxed this 25<sup>th</sup> day of January, 2005, to the United States Patent and Trademark Office.

Respectfully submitted,

Date: January 25, 2005

  
Faustino A. Lichauco  
Reg. No. 41,942

Fish & Richardson P.C.  
225 Franklin Street  
Boston, MA 02110-2804  
Telephone: (617) 542-5070  
Fax: (617) 542-8906

21016172.doc

**NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at (617) 542-5070 to arrange for its return. Thank you.**

JAN. 25. 2005 4:49PM

(4) FISH&RICHARDSON\_6175428906

NO. 4206 P. 2

Attorney's Docket No.: 12258-032001 / InfraRedx-14

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Simon M. Furnish  
Serial No. : 10/037,306  
Filed : December 31, 2001  
Title : MULTI-FIBER CATHETER FOR VP DETECTION

Art Unit : 3763  
Examiner : William C. Jung

MAIL STOP AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RECEIVED  
CENTRAL FAX CENTER

JAN 25 2005

REPLY TO ACTION OF JANUARY 12, 2005

Please amend the above-identified application as follows:

CERTIFICATE OF TRANSMISSION BY FACSIMILE

I hereby certify that this correspondence is being transmitted by facsimile to the Patent and Trademark Office on the date indicated below.

January 25, 2005

Iria Zarembok